

[Transplantation of Genetically Corrected Human iPSC-Derived Progenitors in Mice with Limb-Girdle Muscular Dystrophy.](#)

Tedesco FS, Gerli MF, Perani L, Benedetti S, Ungaro F, Cassano M, Antonini S, Tagliafico E, Artusi V, I

Sci Transl Med. 2012 Jun 27;4(140):140ra89.

altri articoli:

http://ansa.it/scienza/notizie/rubriche/biotech/2012/06/29/Muscoli-sani-nei-topi-dopo-trapianto-cellule-staminali-umane_7115194.html

http://www.quotidianosanita.it/scienza-e-farmaci/articolo.php?articolo_id=9694

<http://www.osservatoriomalattie.it/ricerca-scientifica/2423-distrofia-muscolare-nuova-strategia-terapeutica-basata-sulle-cellule-staminali-indotte-alla-pluripotenza>

<http://www.ansa.it/web/notizie/specializzati/scienza/2012/06/29/Muscoli-sani-nei-topi-dopo-trap>

[ianto-cellule-staminali-umane 7115291.html](#)

<http://gaidnews.it/salute/distrofia-muscolare-nuova-tecnica-con-staminali-pluripotent-indotte-22675.html>

[Allogeneic mesoangioblasts give rise to alpha-sarcoglycan expressing fibers when transplanted into dystrophic mice.](#)

Guttinger M, Tafi E, Battaglia M, Coletta M, Cossu G.

Exp Cell Res. 2006 Nov 15;312(19):3872-9. Epub 2006 Aug 18.

[Cell therapy of alpha-sarcoglycan null dystrophic mice through intra-arterial delivery of mesoangioblasts.](#)

Sampaolesi M, Torrente Y, Innocenzi A, Tonlorenzi R, D'Antona G, Pellegrino MA, Barresi R, Bresolin N

Science. 2003 Jul 25;301(5632):487-92. Epub 2003 Jul 10.

[The meso-angioblast: a multipotent, self-renewing cell that originates from the dorsal aorta and differentiates into most mesodermal tissues.](#)

Minasi MG, Riminucci M, De Angelis L, Borello U, Berarducci B, Innocenzi A, Caprioli A, Sirabella D, Ba
